5. REFERENCES

- Agrawal GP, Bhadra S, Kumar M, Jain S and Agrawal S. (2004). Spherical crystallization of mefenamic acid, Pharmaceutical Technology, 28(2), 66-76.
- Ahuja N, Katare OP and Singh B. (2007). Studies on dissolution enhancement and mathematical modeling of drug release of a poorly water-soluble drug using water-soluble carriers. European Journal of Pharmaceutics and Biopharmaceutics, 65, 26–38.
- Amit RT, Pravin SK, Dinesh MS. (2010). Polymeric recrystallized spherical agglomerates of felodipine by quasi-emulsion solvent diffusion method. Der Pharmacia Sinica. 1 (1): 136-146.
- Armstrong NA and Haines-Nutt RF. (1974). "Elastic Recovery and Surface Area Changes in Compacted Powder Systems," Powder Technol. 9, 287-290.
- Aulton's ME. (2007). Pharmaceutics: the design and manufacture of medicines. 3rd Edition, Churchill Livingstone ELSVIER, London, 13, p.176.
- Bausch A, Leuenberger H. (1994). Wet spherical agglomeration of proteins as a new method to prepare parenteral fast soluble dosage forms. Int J Pharm, 101, 63–70.
- Becker D, Rigassi T, Bauer-Brandl A. (1997). Effectiveness of binders in wet granulation: comparison using model formulations of different tabletability. Drug Dev Ind Pharm. 23(8): 791–808.
- Chavda V and Maheshwari R. (2008). Tailoring of ketoprofen particle morphology via novel crystallo co-agglomeration technique to obtain a directly compressible material. Asian Journal of Pharmaceutics, 61-67.
- Chelakara LV, Sushrut KK and Dhanashri RK. (2006). Spherical Agglomeration of Mefenamic Acid and Nabumetone to Improve Micromeritics and Solubility: A Technical Note. AAPS Pharm Sci Tech, 48, 7(2), 2006.

- Chouracia MK, Jain A, Valdya S and Jain SK. (2004). Utilization of spherical crystallization for preparation of directly compressible materials. Indian Drugs, 41(6), 319-29.

- Chouracia MK, Vijay S, Jain SK, Jain S, Jain N and Jain N.K. (2004). Preparation and characterization of spherical crystal agglomerates for direct tabletting by the spherical crystallization technique, Indian Drugs, 2004, 41(4), 214-20.

- Chourasia MK, Jain NK, Jain S, Jain NK and Jain SK. (2003). Preparation and characterization of agglomerates of flurbiprofen by spherical crystallization technique. Indian J. Pharm. Sci. 3, 287–290.

- Denny P. (2002). Compaction equations: a comparision of the Heckel and Kawakita equations. Powder Technol. 127, 162–172.

- Deshpande MC, Mahadik KR, Pawar AP and Paradkar AR. (1997). Evaluation of spherical crystallization as particle size enlargement technique for Aspirin. Ind.Jr.Pharm.Sci, 59(1), 32-34.

- Di Martino P, Barthelemy C, Piva F, Joiris E, Palmieri GF and Martelli SD. (1999). Improved dissolution behavior of fenbufen by spherical crystallization. Drug Development and Industrial Pharmacy, 25(10), 1073-1081.

- Edmundson IC. (1967). Advances in Pharmaceutical Sciences, Vol 2, Edited by Beab SH, Carless JE and and Beckett AH. Acedemic Press, London, p. 95.

- Fell JT and Newton JM. (1970). “Determination of Tablet Strength by the Diametral-compression Test.” J. Pharm. Sci. 5, 688-691.

- Goczo H, Szabo RP, Hasznos NM and Farkas B. (2000). Development of spherical crystals of Acetyl salicylic acid for direct tablet making. Chem. Pharm. Bull, 48(12), 1877-1881.

- Guillory JK. (1989). Polymorphism in pharmaceutical solids. Marcel Dekker, New York, 1989; pp. 183-226.

- Gupta MM, Srivastava B, Sharma M, Arya V. (2010). Spherical Crystallization: A Tool Of Particle Engineering For Making Drug Powder Suitable For Direct Compression. IJPRD. 1 (12), 1-10.
- Gupta VR, Mutalik S, patel MM and jani GK. (2007). Spherical crystals of celecoxib to improve solubility, dissolution rate and micromeritic properties. Acta Pharm. 57, 173–184.
- Hector NA, Anailien BR, Rolando GH, Dulce MCE, Marilo VL. (2000). Physico-chemical and solid-state characterization of secnidazole. Il Farmaco 55, 700–707.
- Jarosz PJ and Parrott EL. (1983). Compression of granule strength and tablet tensile strength. Jr. Pharm. Sci. 72(5), 530-34.
- Jbiilou M, Ettabia A, Gguyot-Hermann A.M, Guyot, J.C. 1(1999). Ibuprofen agglomerate preparation by phase separation. Drug Dev. Ind. Pharm. 25,297–307.
- Julide A. (1991). Furosemide-loaded ethyl cellulose microspheres prepared by spherical crystallization technique: Morphology and release characteristics. Internaiional Journal of Pharmaceutics. 76 (1991) 193-198.
- Kachrimanis K, Ktistis G, Malamataris S. (1998). Crystallisation conditions and physicomechanical properties of ibuprofen–Eudragit® S100 spherical crystal agglomerates prepared by the solvent-change technique, International Journal of Pharmaceutics 173, 61–74.
- Kallies B, Konig A and Ulrich J. (1993). Solidification by crystallization in drops, International Workshop for Industrial Crystallization, Bremen, Germany, p. 138 (Abstract).
- Kawakita K, Ludde KH. (1970). Some considerations on powder equations. Powder Technol. 4, 61–68.
- Kawashima S, Handa T, Takenchi H, Okumura M, Katou H and Nagai O. (1986). Crystal modification of phenytoin with polyethylene glycol for improving mechanical strength,

dissolution rate and bio-availability by a spherical crystallization technique, Chem. Pharm. Bull. 34, 3376–3383.

- Kawashima Y, Aoki S, Takenaka H and Miyake Y. (1984). Preparation of spherically agglomerated crystals of Aminophylline. J. Pharm. Sci. 73 (10), 1407-1410.
- Kawashima Y, Cui F, Takeuchi H, Hino T, Niwa T and Kiuchi K. (1995). Parameters determining the agglomeration behavior and the micrometric properties of spherically agglomerated crystals prepared by spherical crystallization technique with miscible solvent system. Int J Pharm, 119, 139-147.
- Kawashima Y, Furukava K and Takenaka H. (1981). The physico-chemical parameters determining the size of agglomerates prepared by the spherical crystallization technique. Powder Technology, 30, 211-16.
- Kawashima Y, Imai M, Takeuchi H, Yamamoto H, Kamiya K, Hino T. (2003). Improved flowability and compactibility of spherically agglomerated crystals of ascorbic acid for direct tableting designed by spherical crystallization process. Powder Technol, 130, 283–289.
- Kawashima Y, Imai M. Takeuchi H, Yamamoto H and Kamiya K. (2001). Development of Agglomerated Crystals of Ascorbic Acid by the Spherical Crystallization Technique for Direct Tableting, and Evaluation of Their Compactibilities, Powder Technology, Japan. 38, 160-168.
- Kawashima Y, Niwa T, Handa T, Takeuchi H, Iwamoto T and Itch. (1989). Preparation of controlled release microspheres of Ibuprofen with acrylic polymers by a novel quasi-emulsion solvent diffusion method. J. Pharm. Sci. 78(1), 68-72.
- Kawashima Y, Okumura M and Takenaka H. (1984). The effects of temperature on the spherical crystallization of salicylic acid. Powder Technol, 39: 41–47.
- Kawashima Y, Takenaka H, Okumura M and Kojma K. (1984). Direct preparation of spherically agglomerated Salicylic acid crystals using crystallization. Jr.Pharm.Sci. 73 (11), 1534-1538.

- Kawashima Y, Yang L., Nito M and Takenaka H. (1982). Direct agglomeration of sodium theophylline crystals produced by salting out in the liquid, Chem. Pharm. Bull, 1982, 30 (5), 1837-43.

- Kawashima Y. (1984). Development of Spherical Crystallization Technique and Its Application to Pharmaceutical Systems. Arch. Pharm. Res. 7(2), 145-151.

- Kawashima Y. (1994). New processes—application of spherical crystallization to particulate design of pharmaceuticals for direct tabletting and coating and new drug delivery systems. In: Powder Technology and Pharmaceutical Processes. Handbook of Powder Technology, vol. 9, pp. 493–512.

- Kellaway IW, Marriott C. (1975). Correlations between physical and drug release characteristics of polyethylene glycol suppositories. J Pharm Sci. 64: 1162–1166.

- Kulkarni PK and Nagavi BG. (2002). Review Article: Spherical Crystallzation. Indain J. Pharm. Edu, 36(2), 66-73.

- Kulkarni PK, Dixit M*, Ashwini GK, Akash J.(2010). Spherical Agglomerates Of Mefenamic Acid By Solvent Change Method. International Journal Of Pharmaceutical Sciences. 308-402.

- Kumar S, Chander P, Kumar P, Singh SK. (2010). Application of Some Novel Techniques for Solubility Enhancement of Mefenamic Acid, A Poorly Water Soluble Drug. International Journal of Pharmaceutical Sciences and Drug Research 1(3): 164-171.

- Kumar S, Chawla G and Bansal AK. (2008). Spherical Crystallization of Mebendazole to Improve Processability, Pharmaceutical Development and Technology, 13(6), 559-568.

- Lachmann L, Libermann HA and Kanig JL. (1987). The Theory And Practice of Industrial Pharmacy. 3rd Edition, Varghese publishing house, Bombay, India, p.67.

- Mackellar AJ, Newton JM, Chowdhary BZ and Orr CA. (1994). The controlled crystallization of a model powder: 1.The effects of altering the stirring rate and the

supersaturation profile, and the incorporation of a surfactant (poloxamer 188). Int. J. Pharm, 112(1), 65–78.

- Maghsoodi M, Hassan-Zadeh D and Barzegar-Jalali M. (2007). Improved Compaction and Packing Properties of Naproxen Agglomerated Crystals Obtained by Spherical Crystallization Technique. Drug Development and Industrial Pharmacy, 33:1216–1224.
- Martin A, Bustamante P and Chun A. (2002). Micromeritics, in Physical Pharmacy – Physical Chemical Principles in the Pharmaceutical Sciences, 4th ed., Lippincott Williams and Wilkins, Baltimore, pp. 423–452.
- Martin A, Bustamante P and Chun AH. (1993). Physical Pharmacy, (1993). Principles in the pharmaceutical sciences, (4th Edition), Published by Lea and Febiger, Philadelphia, London, 443-446.
- Martin A, Swarbrick J and Cammarata A. (1991). Physical Pharmacy: physical chemical principle in the pharmaceutical sciences. 3rd Edition, Varghese publishing house, Bombay, India, 18, 493-513.
- Mohl S and Winter G. (2004). Continuous release of rh-interferon alpha-2a from triglyceride matrices. J Control Release, 97(1): 67–78.
- Morshima K, Kawashima Y, Takeuchi H, Niwa T and Hino T. (1994). Tabletting properties of Bucillamine agglomerates prepared by the spherical crystallization technique, Int. J. Pharm, 105, 11-18.
- Muatlik S, Nayak UA, Reddy MS, Kumar RA and Pandey S. (2007). Improved bioavailability of aceclofenac from spherical agglomerates: development, in vitro and preclinical studies. Pakistan Journal of Pharmaceutical Sciences, 20(3), 218-226.
- Nayak UA, Mutalik S, Reddy MS, Kumar RA, Kushtagi P and Udupa N. (2008). Preparation and, in vitro, preclinical and clinical studies of aceclofenac spherical agglomerates. European journal of pharmaceutics and biopharmaceutics, 70(2), 674-83.

- Nokhodchi A, Bolourtchianc N and Dinarvandd R. (2004). Dissolution and mechanical behaviors of recrystallized carbamazepine from alcohol solution in the presence of additives. Journal of Crystal Growth 274,573–584.
- Nokhodchi A, Maghsoodi M. (2008). Preparation of Spherical Crystal Agglomerates of Naproxen Containing Disintegrant for Direct Tablet Making by Spherical Crystallization Technique. AAPS PharmSciTech, 9 (1), 54-59.
- Paradkar AR, Pawar AP, Chordiya JK, Patil VB and Ketkar AR. (2002). Spherical Crystallization of Celecoxib. Drug Development and Industrial Pharmacy, 28(10), 1213-1220.
- Patil SV, Sahoo SK. (2009). SK Spherical Crystallization: a Method to Improve Tabletability. Research J. Pharm. and Tech, 2 (2), 234-237.
- Pawar AP, Paradkar AR, Kadam SS and Mahadik KR2Crystallo-co-agglomeration: A Novel Technique to Obtain Ibuprofen- Paracetamol Agglomerates. AAPS PharmSciTech, 5 (3), 44, 1-6.
- Piera DM, Roberta DC, Christine B, Etienne J, Giovanni PF and Martelli S. (2000). Improved compression properties of propyphenazone spherical crystals, International Journal of Pharmaceutics, 197, 95–106.
- Revesz PS, Nezdei MH, Farkas B, Goezo H, Hodi KP and Eros I. (2002). Crystal growth of drug materials by spherical crystallization. J. Crystal Growth. 2002; 237–239.
- Ribardiere A, Tchoreloff P, Couarraze G and Puisieux F., (1996). Modification of ketoprofen bead structure produced by the spherical crystallization technique with a two-solvent system. International Journal of Pharmaceutics, 144(2), 195-207.
- Rowe RC, Sheskey PJ and Owen SC. (2006). Handbook of Pharmaceutical Excipients, 5th edition, Pharmaceutical Press, 553-560.
- Sano A, Kuriki T, Kawashima Y, Takeuchi H, Hino T and Niwa T. (1992). Particle design of tolbutamide by spherical crystallization technique. V. Improvement of

dissolution and bioavailability of direct compressed tablets prepared using tolbutamide agglomerated crystals. Chem Pharm Bull, 40, 3030–3035.

- Shangraw RF. (1989). Compressed tablets by direct compression, In: Lieberman, H.A., Lachman, L., Schwartz, J.B. (Eds.), Pharmaceutical Dosage Forms: Tablets, vol. 1. Marcel Dekker, New York, pp. 195–246.

- Szabo-Revesz P, Hasznos-Nezdei M, Farkas BH. Gocz H, Pintye-Hodi kI. Eros I. (2002). Crystal growth of drug materials by spherical crystallization. Journal of Crystal Growth, 237–239, 2240–2245.

- Szabo-Revesz P,. Gocz H, Pintye-Hodi kI. P. Kasa jr, Eros I. Hasznos-Nezdei M, Farkas B. (2001). Development of spherical crystal agglomerates of an aspartic acid salt for direct tablet making. Pow. Technol. 114, 118–124.

- Ueda M, Nakamura Y, Makita H, Imasato Y and Kawashima Y. (1991). Particle design of Enoxacin by spherical crystallization technique II, Characteristics of agglomerated crystals, Chem.Pharm.Bull.39 (5), 1277-1281.

- Vinay KM, Sumeet D, Parivesh S. Gunjan J. Daksha G. Divya G. (2010). Method development for spherical crystallization of glibenclamide and evaluation of micromeritic properties. Drug Invention Today.2(2), 119-122.

- Yadav AV and Yadav VB. (2009). Preparation and evaluation of polymeric carbamazepine spherical crystals by emulsion solvent diffusion technique. Asian journal of pharmaceutics, June 19, 18-25.

- Yadav VB and Yadav AV. (2009). Comparative Tabletting behavior of Carbamazepine granules with spherical agglomerated crystals prepared by spherical crystallization technique. Int. J. Chem Tech Res, 1(3), 476-482,

- Zhang H, Chen Y, Wang J and Gong J. (2010). Investigation on the Spherical Crystallization Process of Cefotaxime Sodium Ind. Eng. Chem. Res, 49, 1402–1411.